



TEST REPORT

Client: **Manila Water Philippine Ventures (MWPV)**Test Report No.: **TR-23D-183**Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Ave., Diliman, Quezon City**Date and Time Received: **13 Apr 2023 @03:40PM**Contact Person: **Ms. Florisza I. Faustino**Sampled By: **ECHEM**COC Number: **2023-D0057**Report Date: **19 Apr 2023**

Sample ID:	S23-D13-023D	Sampling Date:	13 Apr 2023
Sample Description:	BNC Pawikan	Sampling Time:	11:12 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:43PM	AHP
Heterotrophic Plate Count (HPC)	9	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:43PM	AHP

Sample ID:	S23-D13-024D	Sampling Date:	13 Apr 2023
Sample Description:	Beechcroft	Sampling Time:	11:17 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:46PM	AHP
Heterotrophic Plate Count (HPC)	12	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:46PM	AHP

Sample ID:	S23-D13-025D	Sampling Date:	13 Apr 2023
Sample Description:	Villas	Sampling Time:	11:24 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:49PM	AHP
Heterotrophic Plate Count (HPC)	6	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:49PM	AHP

Sample ID:	S23-D13-026D	Sampling Date:	13 Apr 2023
Sample Description:	BNC Backdoor	Sampling Time:	11:30 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @05:52PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:52PM	AHP
Heterotrophic Plate Count (HPC)	30	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:52PM	AHP



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S23-D13-028D	Sampling Date:	13 Apr 2023
Sample Description:	Sports Center Common Area	Sampling Time:	11:44 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @05:58PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:58PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:58PM	AHP

Sample ID:	S23-D13-029D	Sampling Date:	13 Apr 2023
Sample Description:	Sports Center Kitchen	Sampling Time:	11:46 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:01PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:01PM	AHP

Sample ID:	S23-D13-030D	Sampling Date:	13 Apr 2023
Sample Description:	Golf Kitchen	Sampling Time:	12:12 PM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:04PM	AHP
Heterotrophic Plate Count (HPC)	2	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:04PM	AHP

Sample ID:	S23-D13-031D	Sampling Date:	13 Apr 2023
Sample Description:	Caddie	Sampling Time:	12:18 PM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:07PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:07PM	AHP

Sample ID:	S23-D13-033D	Sampling Date:	13 Apr 2023
Sample Description:	N5	Sampling Time:	09:50 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:13PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:13PM	AHP



Sample ID:	S23-D13-034D	Sampling Date:	13 Apr 2023
Sample Description:	SRCC Boston	Sampling Time:	10:01 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:16PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:16PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:16PM	AHP

Sample ID:	S23-D13-035D	Sampling Date:	13 Apr 2023
Sample Description:	N4	Sampling Time:	10:08 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:19PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:19PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:19PM	AHP

Sample ID:	S23-D13-036D	Sampling Date:	13 Apr 2023
Sample Description:	N7	Sampling Time:	10:17 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:22PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:22PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:22PM	AHP

Sample ID:	S23-D13-037D	Sampling Date:	13 Apr 2023
Sample Description:	Tulfo Residence	Sampling Time:	10:21 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:25PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:25PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:25PM	AHP

Sample ID:	S23-D13-039D	Sampling Date:	13 Apr 2023
Sample Description:	N2	Sampling Time:	10:37 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:31PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:31PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:31PM	AHP

**Echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S23-D13-040D	Sampling Date:	13 Apr 2023
Sample Description:	N1	Sampling Time:	10:45 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:34PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:34PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:34PM	AHP


Sample ID:	S23-D13-041D	Sampling Date:	13 Apr 2023
Sample Description:	N3	Sampling Time:	10:51 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:37PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:37PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:37PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by:


Anita H. Pineda, RMT
Medical Technologist, PRC No. 52546

Approved by:


May Ann M. Estavillo, RCM
QA/QC Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal



TEST REPORT

Client: **Manila Water Philippine Ventures (MWPV)**

Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Ave., Diliman, Quezon City**

Contact Person: **Ms. Florisza I. Faustino**

COC Number: **2023-D0057**

Test Report No.: **TR-23D-183**

Date and Time Received: **13 Apr 2023 @03:40 PM**

Sampled By: **ECHEM**

Report Date: **19 Apr 2023**

Sample ID:	S23-D13-027D	Sampling Date:	13 Apr 2023
Sample Description:	Deepwell 5	Sampling Time:	11:38 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:55PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @05:55PM	AHP

Sample ID:	S23-D13-032D	Sampling Date:	13 Apr 2023
Sample Description:	Deepwell 8	Sampling Time:	12:30 PM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)		AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:10PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:10PM	AHP

Sample ID:	S23-D13-042D	Sampling Date:	13 Apr 2023
Sample Description:	Deepwell 7	Sampling Time:	11:00 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @06:40PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:40PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @06:40PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by:

Anita H. Pineda 19 Apr 2023
Anita H. Pineda, RMT
Medical Technologist, PRC No. 52546

Approved by:

May Ann M. Estavillo 19 Apr 2023
May Ann M. Estavillo, RCH
QA/QC Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
Technical: 0917-507-8753 • 0917-164-2944

TEST REPORT

Client: **Manila Water Philippine Ventures (MWPV)**Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Ave., Dilliman, Quezon City**Contact Person: **Ms. Florisza I. Faustino**COC Number: **2023-D0057**Test Report No.: **TR-23D-183**Date and Time Received: **13 Apr 2023 @ 03:40 PM**Sampled By: **ECHEM**Report Date: **19 Apr 2023**

Sample ID:	S23-D13-038D	Sampling Date:	13 Apr 2023
Sample Description:	Reservoir 1	Sampling Time:	10:30 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	13 Apr 2023 @ 06:28PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @ 06:28PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	13 Apr 2023 @ 07:35PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	13 Apr 2023 @ 06:28PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by:

Anita H. Pineda 19 Apr 2023
Anita H. Pineda, RMT
Medical Technologist, PRC No. 52546

Approved by:

May Ann M. Estavillo 19 Apr 2023
May Ann M. Estavillo, RCM
QA/QC Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal