

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: echemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

DOH Accreditation No.03-002-21-LW-2 Valid until December 31, 2023

DENR C.R.No. 074/2021 Valid until September 28, 2024

TEST REPORTClient: **Manila Water Philippine Ventures (MWPV)**Test Report No.: **TR-22L-287**Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Avenue, Diliman, Quezon City**Date and Time Received: **07 Dec 2022 @05:25PM**Contact Person: **Ms. Florisza I. Faustino**Sampled By: **ECHEM**COC Number: **2022-L0106**Report Date: **28 Dec 2022**

Sample ID:	S22-L07-037D	Sampling Date:	07 Dec 2022
Sample Description:	N5	Sampling Time:	09:20 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:33PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:33PM	AHP
Heterotrophic Plate Count (HPC)	50	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:33PM	AHP

Sample ID:	S22-L07-038D	Sampling Date:	07 Dec 2022
Sample Description:	SRCC Boston	Sampling Time:	09:26 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:36PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:36PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:36PM	AHP

Sample ID:	S22-L07-039D	Sampling Date:	07 Dec 2022
Sample Description:	N4	Sampling Time:	09:31 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:39PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:39PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:39PM	AHP

Sample ID:	S22-L07-040D	Sampling Date:	07 Dec 2022
Sample Description:	N7	Sampling Time:	09:38 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:42PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:42PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:42PM	AHP

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: ecchemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

Sample ID:	S22-L07-041D	Sampling Date:	07 Dec 2022
Sample Description:	Tulfo Residence	Sampling Time:	09:43 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:45PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:45PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:45PM	AHP

Sample ID:	S22-L07-043D	Sampling Date:	07 Dec 2022
Sample Description:	N2	Sampling Time:	09:57 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:51PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:51PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:51PM	AHP

Sample ID:	S22-L07-044D	Sampling Date:	07 Dec 2022
Sample Description:	N1	Sampling Time:	10:02 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:54PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:54PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:54PM	AHP

Sample ID:	S22-L07-045D	Sampling Date:	07 Dec 2022
Sample Description:	N3	Sampling Time:	10:11 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:57PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:57PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:57PM	AHP

Sample ID:	S22-L07-047D	Sampling Date:	07 Dec 2022
Sample Description:	BNC Pawikan	Sampling Time:	10:24 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:03PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:03PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:03PM	AHP

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: echemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

Sample ID:	S22-L07-048D	Sampling Date:	07 Dec 2022
Sample Description:	Beechcroft	Sampling Time:	10:31 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:06PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:06PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:06PM	AHP

Sample ID:	S22-L07-049D	Sampling Date:	07 Dec 2022
Sample Description:	Villas	Sampling Time:	10:37 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:10PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:10PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:10PM	AHP

Sample ID:	S22-L07-050D	Sampling Date:	07 Dec 2022
Sample Description:	BNC Backdoor	Sampling Time:	10:42 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:13PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:13PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:13PM	AHP

Sample ID:	S22-L07-052D	Sampling Date:	07 Dec 2022
Sample Description:	Sports Center Common Area	Sampling Time:	10:55 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:19PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:19PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:19PM	AHP

Sample ID:	S22-L07-053D	Sampling Date:	07 Dec 2022
Sample Description:	Sports Center Kitchen	Sampling Time:	11:03 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:22PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:22PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:22PM	AHP

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: echemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

Sample ID:	S22-L07-054D	Sampling Date:	07 Dec 2022
Sample Description:	Golf Kitchen	Sampling Time:	11:13 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:25PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:25PM	AHP
Heterotrophic Plate Count (HPC)	2	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:25PM	AHP

Sample ID:	S22-L07-055D	Sampling Date:	07 Dec 2022
Sample Description:	Caddie	Sampling Time:	11:18 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:28PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:28PM	AHP
Heterotrophic Plate Count (HPC)	9	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:28PM	AHP

Sample ID:	S22-L07-058D	Sampling Date:	07 Dec 2022
Sample Description:	N9	Sampling Time:	11:47 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:37PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:37PM	AHP
Heterotrophic Plate Count (HPC)	5	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:37PM	AHP

Sample ID:	S22-L07-059D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 10	Sampling Time:	11:51 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:40PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:40PM	AHP
Heterotrophic Plate Count (HPC)	4	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:40PM	AHP

Sample ID:	S22-L07-061D	Sampling Date:	07 Dec 2022
Sample Description:	SBV Condo	Sampling Time:	12:03 PM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:46PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:46PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:46PM	AHP

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795


Email: echemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944


Sample ID:	S22-L07-062D				Sampling Date:	07 Dec 2022	
Sample Description:	N6B				Sampling Time:	12:12 PM	
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan	
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:49PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:49PM	AHP
Heterotrophic Plate Count (HPC)	15	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:49PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by: 04 Jan 2023**Anita H. Pineda, RMT**

Medical Technologist, PRC No. 52546

Approved by: 04 Jan 2023
May Ann M. Estavillo, RCh
QA/QC Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: ecchemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

DOH Accreditation No.03-002-21-LW-2 Valid until December 31, 2023

DENR C.R.No. 074/2021 Valid until September 28, 2024

TEST REPORTClient: **Manila Water Philippine Ventures (MWPV)**Test Report No.: **TR-22L-287**Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Avenue, Diliman, Quezon City**Date and Time Received: **07 Dec 2022 @05:25PM**Contact Person: **Ms. Florisza I. Faustino**Sampled By: **ECHEM**COC Number: **2022-L0106**Report Date: **28 Dec 2022**

Sample ID:	S22-L07-042D	Sampling Date:	07 Dec 2022
Sample Description:	Reservoir 1	Sampling Time:	09:49 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @05:48PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:48PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @05:48PM	AHP

Sample ID:	S22-L07-063D	Sampling Date:	07 Dec 2022
Sample Description:	Reservoir 2	Sampling Time:	12:20 PM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:52PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:52PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:52PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by:

Anita H. Pineda 04 Jan 2023
Anita H. Pineda, RMT
Medical Technologist, PRC No. 52546

Approved by:

May Ann M. Estavillo 03 Jan 2023
May Ann M. Estavillo, RCh
QA/QC Manager, PRC No.8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: ecchemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

DOH Accreditation No.03-002-21-LW-2 Valid until December 31, 2023

DENR C.R.No. 074/2021 Valid until September 28, 2024

TEST REPORTClient: **Manila Water Philippine Ventures (MWPV)**Address: **Level 3, 2nd Phase, BPO Bldg., UP Town Corporate Center, 216 Katipunan Avenue, Diliman, Quezon City**Contact Person: **Ms. Florisza I. Faustino**COC Number: **2022-L0106**Test Report No.: **TR-22L-287**Date and Time Received: **07 Dec 2022 @05:25PM**Sampled By: **ECHEM**Report Date: **28 Dec 2022**

Sample ID:	S22-L07-046D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 7	Sampling Time:	10:20 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:00PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:00PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:25PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:00PM	AHP

Sample ID:	S22-L07-051D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 5	Sampling Time:	10:49 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:16PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:16PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:16PM	AHP

Sample ID:	S22-L07-056D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 8	Sampling Time:	11:25 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:31PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:31PM	AHP
Heterotrophic Plate Count (HPC)	3	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:31PM	AHP

Sample ID:	S22-L07-057D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 9	Sampling Time:	11:41 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:34PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:34PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:31v4PM	AHP

**echem****ENVIRONMENTAL TESTING LABORATORY CORPORATION**

Laboratory: 10 Quezon Road, San Isidro, San Simon, Pampanga

Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga

Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795

Email: echemenvironmental@gmail.com

Technical: 0917-164-2927 • 0917-164-2944

Sample ID:	S22-L07-059D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 10	Sampling Time:	11:51 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:40PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:40PM	AHP
Heterotrophic Plate Count (HPC)	4	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:40PM	AHP

Sample ID:	S22-L07-060D	Sampling Date:	07 Dec 2022
Sample Description:	Deepwell 11	Sampling Time:	11:57 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	07 Dec 2022 @06:43PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:43PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	07 Dec 2022 @07:00PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	07 Dec 2022 @06:43PM	AHP

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 23rd Edition.
DOH Administrative Order No. 2017-0010, PNSDW 2017.

Certified by:

Anita H. Pineda 04 Jan 2023
Anita H. Pineda, RMT
Medical Technologist, PRC No. 52546

Approved by:

May Ann M. Estavillo 04 Jan 2023
May Ann M. Estavillo, RCh
QA/QC Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal