



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
 Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
 Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
 Technical: 0917-507-8753 • 0917-164-2944

DOH Accreditation No.03-010-2325-LW-2 Valid until December 31, 2025
 DENR C.R.No. 074/2023 Valid until June 24, 2026

TEST REPORT

Client: **Manila Water Philippine Ventures, Inc.**
 Address: **3rd Floor, UP Town Corporate Center, Katipunan, Quezon City**
 Contact Person: **Ms. Florisza Faustino**
 COC Number: **2025-K0018**

Test Report No.: **TR-25K-144**
 Date and Time Received: **03 Nov 2025 @04:00PM**
 Sampled By: **ECHEM**
 Report Date: **12 Nov 2025**

Sample ID: **S25-K03-058D** Sampling Date: **03 Nov 2025**
 Sample Description: **S2A** Sampling Time: **10:08 AM**
 Sample Matrix: **Drinking Water** Sampling Location: **Anvaya Cove, Morong, Bataan**

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:01PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:01PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:01PM	AHP

Sample ID: **S25-K03-059D** Sampling Date: **03 Nov 2025**
 Sample Description: **S1** Sampling Time: **10:14 AM**
 Sample Matrix: **Drinking Water** Sampling Location: **Anvaya Cove, Morong, Bataan**

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:04PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:04PM	AHP
Heterotrophic Plate Count (HPC)	8	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:04PM	AHP

Sample ID: **S25-K03-060D** Sampling Date: **03 Nov 2025**
 Sample Description: **BNC Pawikan** Sampling Time: **10:21 AM**
 Sample Matrix: **Drinking Water** Sampling Location: **Anvaya Cove, Morong, Bataan**

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:07PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:07PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:07PM	AHP

Sample ID: **S25-K03-061D** Sampling Date: **03 Nov 2025**
 Sample Description: **Villas** Sampling Time: **10:27 AM**
 Sample Matrix: **Drinking Water** Sampling Location: **Anvaya Cove, Morong, Bataan**

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:10PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:10PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:10PM	AHP

Sample ID: **S25-K03-062D** Sampling Date: **03 Nov 2025**
 Sample Description: **BNC Back Door** Sampling Time: **10:31 AM**
 Sample Matrix: **Drinking Water** Sampling Location: **Anvaya Cove, Morong, Bataan**

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:13PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:13PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:13PM	AHP



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
 Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
 Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
 Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S25-K03-063D	Sampling Date:	03 Nov 2025
Sample Description:	Deepwell 5	Sampling Time:	10:37 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:16PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:16PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:16PM	AHP

Sample ID:	S25-K03-064D	Sampling Date:	03 Nov 2025
Sample Description:	Sports Central Common Area	Sampling Time:	10:41 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:19PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:19PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:19PM	AHP

Sample ID:	S25-K03-065D	Sampling Date:	03 Nov 2025
Sample Description:	Sports Center Kitchen	Sampling Time:	10:47 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:22PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:22PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:22PM	AHP

Sample ID:	S25-K03-066D	Sampling Date:	03 Nov 2025
Sample Description:	Golf Kitchen	Sampling Time:	11:08 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:25PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:25PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:25PM	AHP

Sample ID:	S25-K03-067D	Sampling Date:	03 Nov 2025
Sample Description:	Caddie	Sampling Time:	11:13 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:28PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:28PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:28PM	AHP

Sample ID:	S25-K03-068D	Sampling Date:	03 Nov 2025
Sample Description:	N5	Sampling Time:	09:18 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:31PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:31PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:31PM	AHP



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
 Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
 Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
 Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S25-K03-069D	Sampling Date:	03 Nov 2025
Sample Description:	Deepwell 13	Sampling Time:	09:22 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:34PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:34PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:34PM	AHP

Sample ID:	S25-K03-070D	Sampling Date:	03 Nov 2025
Sample Description:	N4	Sampling Time:	09:31 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:37PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:37PM	AHP
Heterotrophic Plate Count (HPC)	5	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:37PM	AHP

Sample ID:	S25-K03-071D	Sampling Date:	03 Nov 2025
Sample Description:	N7	Sampling Time:	09:35 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:40PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:40PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:40PM	AHP

Sample ID:	S25-K03-072D	Sampling Date:	03 Nov 2025
Sample Description:	Tulfo Residence	Sampling Time:	09:40 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:43PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:43PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:43PM	AHP

Sample ID:	S25-K03-073D	Sampling Date:	03 Nov 2025
Sample Description:	Reservoir 1	Sampling Time:	09:44 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:46PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:46PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:46PM	AHP

Sample ID:	S25-K03-074D	Sampling Date:	03 Nov 2025
Sample Description:	N2	Sampling Time:	09:48 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
E.coli	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:49PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:49PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:49PM	AHP



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
 Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
 Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
 Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S25-K03-075D	Sampling Date:	03 Nov 2025
Sample Description:	N1	Sampling Time:	09:52 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:52PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:52PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:52PM	AHP

Sample ID:	S25-K03-076D	Sampling Date:	03 Nov 2025
Sample Description:	N3	Sampling Time:	09:59 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:55PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:55PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:55PM	AHP

Sample ID:	S25-K03-077D	Sampling Date:	03 Nov 2025
Sample Description:	Deepwell 8	Sampling Time:	11:18 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @06:58PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:58PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @06:58PM	AHP

Sample ID:	S25-K03-078D	Sampling Date:	03 Nov 2025
Sample Description:	Deepwell 9	Sampling Time:	11:24 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:01PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:01PM	AHP
Heterotrophic Plate Count (HPC)	1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:01PM	AHP

Sample ID:	S25-K03-079D	Sampling Date:	03 Nov 2025
Sample Description:	N9	Sampling Time:	11:30 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:04PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:04PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:04PM	AHP

Sample ID:	S25-K03-080D	Sampling Date:	03 Nov 2025
Sample Description:	Deepwell 10	Sampling Time:	11:35 AM
Sample Matrix:	Drinking Water	Sampling Location:	Anvaya Cove, Morong, Bataan

Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst
<i>E. coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:07PM	AHP
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:07PM	AHP
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:07PM	AHP



Echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
 Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
 Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
 Technical: 0917-507-8753 • 0917-164-2944

Sample ID:	S25-K03-081D				Sampling Date:	03 Nov 2025		
Sample Description:	Deepwell 11				Sampling Time:	11:57 AM		
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan		
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst	
<i>E.coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:10PM	AHP	
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:10PM	AHP	
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP	
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:10PM	AHP	

Sample ID:	S25-K03-082D				Sampling Date:	03 Nov 2025		
Sample Description:	SBV Condo				Sampling Time:	11:40 AM		
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan		
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst	
<i>E.coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:13PM	AHP	
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:13PM	AHP	
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP	
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:13PM	AHP	

Sample ID:	S25-K03-083D				Sampling Date:	03 Nov 2025		
Sample Description:	N6B				Sampling Time:	11:44 AM		
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan		
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst	
<i>E.coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:16PM	AHP	
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:16PM	AHP	
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP	
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:16PM	AHP	

Sample ID:	S25-K03-084D				Sampling Date:	03 Nov 2025		
Sample Description:	Reservoir 2				Sampling Time:	11:49 AM		
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan		
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst	
<i>E.coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:19PM	AHP	
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:19PM	AHP	
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP	
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:19PM	AHP	

Sample ID:	S25-K03-085D				Sampling Date:	03 Nov 2025		
Sample Description:	SRCC Boston				Sampling Time:	09:27 AM		
Sample Matrix:	Drinking Water				Sampling Location:	Anvaya Cove, Morong, Bataan		
Parameter	Result	Unit	Limit	Remarks	Method	Date Analyzed	Analyst	
<i>E.coli</i>	Absent	MPN/100 mL	Absent	PASSED	MTFT Thermotolerant Coliform Test (EC Medium)	03 Nov 2025 @07:22PM	AHP	
Thermotolerant Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:22PM	AHP	
Heterotrophic Plate Count (HPC)	<1	CFU/mL	< 500	PASSED	Pour Plate	03 Nov 2025 @07:30PM	AHP	
Total Coliform	<1.1	MPN/100 mL	< 1.1	PASSED	Multiple Tube Fermentation Technique	03 Nov 2025 @07:22PM	AHP	

Notes & References:

Standard Methods for the Examination of Water and Wastewater, 24th Edition.
 DOH Administrative Order No. 2017-0010, PNSDW 2017.



echem ENVIRONMENTAL TESTING LABORATORY CORPORATION

Laboratory: Blk 22 Lot 6A, Golden Sun 999 Ind'l Park, Quezon Rd., San Pablo Libutad, San Simon, Pampanga
Satellite Office: G/F ASCORP Bldg., Mc Arthur Highway, Dolores, City of San Fernando, Pampanga
Sales: 0942-316-2538 • 0945-798-6962 | (045) 435-2795 Email: echemenvironmental@gmail.com
Technical: 0917-507-8753 • 0917-164-2944

Certified by:

Anita H. Pineda 12 Nov 2025

Anita H. Pineda, RMT

Chief Microbiologist, PRC No. 52546

Approved by:

May Ann M. Estavillo 12 Nov 2025
May Ann M. Estavillo, RCh
General Manager, PRC No. 8652

Test results written in this report are based on the samples as received by the laboratory. No alteration or modification of this test report shall be binding against Echem unless in writing and signed by a duly authorized representative of the company. This report shall not be reproduced, except in full, without the written permission from the laboratory.

Not valid without
company seal